



**ZFW ORDER
7110.13B**

SUBJ: Minor ATCT and TRACON Standard Operating Procedures

This order describes Standard Operating Procedures for the safe and efficient operation of the various minor airport Air Traffic Control Towers and TRACONS . The provisions and procedures described below are supplemental to and in accordance with Fort Worth ARTCC General Policy and FAA Order JO 7110.65, as well as any published FAA guidelines and procedures. The information contained in this document is to be used for flight simulation purposes only on the VATSIM network. It is not intended, nor should it be used for real-world navigation. This site is not affiliated with the FAA, the actual Fort Worth ARTCC, or any governing aviation body. All content contained herein is approved only for use on the VATSIM network.

/Austin Wilkins/
Air Traffic Manager
Fort Worth ARTCC

/Jonathan O'Malley/
Deputy Air Traffic Manager
Fort Worth ARTCC

/Brandon Wening/
Deputy Director for Air Traffic Services
VATUSA

Effective 1/7/2023

This order cancels the ZFW JO 7110.13A and shall establish the ZFW JO 7110.13B

FOR VATSIM USE ONLY

ABI TRACON/ATCT	
TRACON Airspace	SFC-12,000
Class C Airspace	Tower owns inner ring SFC-5,000
Initial IFR Heading/Altitude	S Flow: Eastbound H120, Westbound H200 N Flow: Eastbound H050, Westbound H320 Maintain 5,000
Hours of Operation	24/7

ACT TRACON/ATCT	
TRACON Airspace	SFC-12,000
Initial IFR Heading/Altitude	RH/3,000
Hours of Operation	0600-0000

ADM ATCT	
Class D Airspace	SFC-3,300
Initial IFR Heading/Altitude	On Course/4,000
Hours of Operation	M-F: 0700-2300 SS: 0700-1700

ADS ATCT	
Class D Airspace	SFC-2,999
Initial IFR Heading/Altitude	16: H050/2,000 34: RH/2,000 Props going South or West off 15: RH/2,000
Hours of Operation	0600-2200

AFW ATCT	
Class D Airspace	SFC-2,999
Initial IFR Heading/Altitude	RH/3,000
Hours of Operation	24/7

BAD ATCT	
Class C Airspace	Tower owns inner ring SFC-3,000
Initial IFR Heading/Altitude	RH/2,000
Hours of Operation	M-F: 0700-2200 SS: 0800-1600

CNW ATCT	
Class D Airspace	SFC-3,000
Initial IFR Heading/Altitude	RH/3,000

FOR VATSIM USE ONLY

Hours of Operation	0700-2300
--------------------	-----------

CSM ATCT	
Class D Airspace	SFC-4,500
Initial IFR Heading/Altitude	On Course/5,000
Hours of Operation	M-F: 0900-0100

DTN ATCT	
Class D Airspace	SFC-1,599
Initial IFR Heading/Altitude	14: H170/2,000 32: RH/2,000 RWY05/23 Coordination Required
Hours of Operation	0700-2200

DTO ATCT	
Class D Airspace	SFC-2,500
Initial IFR Heading/Altitude	18s: H190 36s: H340 Maintain 3,000
Hours of Operation	0600-2200

DYS ATCT	
Class C Airspace	Tower owns inner ring SFC-5,000
Initial IFR Heading/Altitude	16: H200/5,000 34: H320/5,000
Hours of Operation	24/7

FSI ARAC/ATCT	
RAPCON Airspace	SFC-7,000
Initial IFR Heading/Altitude	18: H160/4,000 36: RH/4,000
Hours of Operation	By NOTAM

FTW ATCT	
Class D Airspace	SFC-3,200
Initial IFR Heading/Altitude	RH/3,000
Hours of Operation	24/7

FWS ATCT	
Class D Airspace	SFC-2,999
Initial IFR Heading/Altitude	RH/3,000
Hours of Operation	0700-2000

FOR VATSIM USE ONLY

GGG TRACON	
TRACON Airspace	SFC-12,000 (SFC-7,000 in TYR sector)
Initial IFR Heading/Altitude	RH/12,000 or lower requested
Hours of Operation	0600-2200

GKY ATCT	
Class D Airspace	SFC-1,999
Initial IFR Heading/Altitude	16: H180/2,000 34: H320/2,000
Hours of Operation	0700-2100

GPM ATCT	
Class D Airspace	SFC-1,999
Initial IFR Heading/Altitude	17: H190/2,000 35: H310/2,000
Hours of Operation	0800-1800 (0600-2000 During DST)

GRK ARAC/ATCT	
RAPCON Airspace	SFC-12,000
Initial IFR Heading/Altitude	RH/Maintain 5,000
Hours of Operation	24/7

GVT ATCT	
Class D Airspace	SFC-3,000
Initial IFR Heading/Altitude	On Course/5,000
Hours of Operation	M-F: 0730-1630

GYI ATCT	
Class D Airspace	SFC-3,300
Initial IFR Heading/Altitude	On Course/4,000
Hours of Operation	0700-1900

HLR ATCT	
Class D Airspace	SFC-3,500
Initial IFR Heading/Altitude	RH/5,000
Hours of Operation	M-F: 0800-0000

FOR VATSIM USE ONLY

HQZ ATCT	
Class D Airspace	SFC-1,999
Initial IFR Heading/Altitude	RH/2,000
Hours of Operation	0700-2100

HOB ATCT	
Class D Airspace	SFC-6,200
Initial IFR Heading/Altitude	On Course/7,000
Hours of Operation	0700-1900

LAW ATCT	
Class D Airspace	SFC-3,700
Initial IFR Heading/Altitude	17: RH/5,000 35: H150/5,000
Hours of Operation	0800-1900

LBB TRACON/ATCT	
TRACON Airspace	SFC-17,000
Class C Airspace	Tower owns inner ring SFC-5,000
Initial IFR Heading/Altitude	RH/6,000
Hours of Operation	24/7
ZFW Arrival Altitude	Cross TRACON boundary at 14,000

LTS RAPCON/ATCT	
RAPCON Airspace	SFC-9,000
Initial IFR Heading/Altitude	RH/9,000
Hours of Operation	M-F: 0900-0230

MAF TRACON/ATCT	
TRACON Airspace	SFC-13,000
Class C Airspace	Tower owns inner ring SFC-5,000
Initial IFR Heading/Altitude	RH/7,000
Hours of Operation	0600-0000

MLU TRACON/ATCT	
TRACON Airspace	SFC-12,000
Initial IFR Heading/Altitude	RH/3,000
Hours of Operation	0600-2200

FOR VATSIM USE ONLY

NFW ATCT	
Class D Airspace	SFC-3,000
Initial IFR Heading/Altitude	18: H180/3,000 36: H330/3,000
Hours of Operation	M-F: 0700-2300 SS: 0900-1700

OUN ATCT	
Class D Airspace	SFC-3,700
Initial IFR Heading/Altitude	18/21: H175/3,000 36/03: H355/3,000 Do not issue an initial heading if using a SID
Hours of Operation	0800-2200

PWA ATCT	
Class D Airspace	SFC-3,700
Initial IFR Heading/Altitude	17s/13: H200 35s/31: H310-H010 Do not issue an initial heading if using a SID Maintain 3,000
Hours of Operation	0700-2200

RBD ATCT	
Class D Airspace	SFC-2,999
Initial IFR Heading/Altitude	13/17: RH 31/35: Turn Right H130 Jets 3,000 Props 2,000
Hours of Operation	0700-2100

SHV RAPCON/ATCT	
TRACON Airspace	SFC-12,000
Class C Airspace	Tower owns inner ring SFC-3,000
Initial IFR Heading/Altitude	RH/4,000
Hours of Operation	24/7

SJT TRACON/ATCT	
TRACON Airspace	SFC-12,000
Initial IFR Heading/Altitude	RH/7,000
Hours of Operation	0700-2100

FOR VATSIM USE ONLY

SPS RAPCON/ATCT	
RAPCON Airspace	SFC-16,000
Initial IFR Heading/Altitude	15s/33s: RH/5,000 18: H150/2,400 36: H280 Prior to TWY D/2,400
Hours of Operation	M-F: 0600-2000 Sun: 1200-1700
ZFW Arrival Altitude	Cross TRACON boundary at 12,000

TIK ATCT	
Class C Airspace	Tower owns inner ring SFC-5,000
Initial IFR Heading/Altitude	18/13: H175/3,000 36/31: H355/3,000
Hours of Operation	24/7

TKI ATCT	
Class D Airspace	SFC-2,900
Initial IFR Heading/Altitude	18: RH/2,000 36: RH/3,000
Hours of Operation	0600-2200

TXK ATCT	
Class D Airspace	SFC-2,900
Initial IFR Heading/Altitude	On Course/3,000
Hours of Operation	0600-2200

TYR ATCT	
Class D Airspace	SFC-3,000
Initial IFR Heading/Altitude	On Course/7,000 or lower requested
Hours of Operation	0630-2130


NOTE1 – Tower is responsible for issuing departure instructions for IFR aircraft. This can be done by stating a heading to be flown or instructing aircraft to proceed on course in their takeoff clearance.

NOTE2 – Unless otherwise stated, it is assumed that all arrivals from ZFW will descend to an altitude 1,000ft above the top altitude of the TRACON. The approach controller will have control for descents into their airspace. It is also assumed that departures going into ZFW will be climbed to the top altitude of the TRACON. Center will have control for climbs into their airspace.

NOTE3 – All times are listed as central time.


FOR VATSIM USE ONLY

ABI TRACON




FOR VATSIM USE ONLY

ACT TRACON




FOR VATSIM USE ONLY

FSI ARAC




GGG TRACON




FOR VATSIM USE ONLY

GRK ARAC




FOR VATSIM USE ONLY

LBB TRACON




FOR VATSIM USE ONLY

LTS RAPCON




FOR VATSIM USE ONLY

MAF TRACON




FOR VATSIM USE ONLY

MLU TRACON




FOR VATSIM USE ONLY

SHV RAPCON




FOR VATSIM USE ONLY

SJT TRACON



FOR VATSIM USE ONLY

SPS RAPCON



FOR VATSIM USE ONLY